INDEX TO VOLUME 20

1978

Index to Authors and Contributors

ADAMS, R. D., *Paper* A vibration technique for non-destructively assessing the integrity of structures, 93
ADLER, D., *Paper* The complete three-dimensional calculation of the compressible flow field in turbo impellers, 149
AGGARWAL, J. K., *Paper* A thin-film probe for the measurement of a three-dimensional velocity vector, 327
AKÖZ, A. Y., *Paper* Thermoelastic analysis of a finite orthotropic slab, 65
AL-HASSANI, S. T. S., *Paper* Large-deformation response of deep circular arches to radial magnetomotive forces, 335
ALI, M. A., *Paper* The effect of mass flow rate on the reflection behaviour of small-amplitude pressure waves from duct terminations, 229

BACK, N., *Papers* An elastic mechanism for the microsliding characteristics between contacting machined surfaces, 121; Experimental study of normal and shear characteristics of machined surfaces in contact, 129
BALZER, L. A., *Paper* High-speed ground transport—a stochastic model of track roughness and misalignment, 143
BANERJEE, B. N., *Paper* Thin-film flows with thermoelastically deformed boundaries, 239
BELLHOUSE, B. J., *Paper* A thin-film probe for the measurement of a three-dimensional velocity vector, 327
BERKOVICH, I. I., *Paper* Statistical analysis of a rough-surface model, 315
BROWN, S. R., *Paper* Negative pressures under a lubricated piston ring, 49
BURDEKIN, M., *Papers* An elastic mechanism for the microsliding characteristics between contacting machined surfaces, 121; Experimental study of normal and shear characteristics of machined surfaces in contact, 129
BURDESS, J. S., *Papers* The dynamics of a Hooke's joint gyroscope with non-orthogonal flexure axes, 79; The dynamics of a multigimbal Hooke's-joint gyroscope, 255; The dynamics of an imperfect, multigimbal, Hooke's-joint gyroscope, 263; The response of a Hooke's-joint gyroscope to linear vibration, 189
BURTON, R. A., *Paper* Thin-film flows with thermoelastically deformed boundaries, 239
BUTTERY, T. C., *Paper* The generation of random surfaces representative of abrasion, 133

CARLILE, D. R., *Paper* On the lubricating action of molten polymers in single-screw extruders, 73
CAWLEY, P., *Paper* A vibration technique for non-destructively assessing the integrity of structures, 93
CHETWYND, D. G., *Paper* Slope measurement in surface texture analysis, 115
CHISHOLM, D., *Research Note* Influence of pipe surface roughness on friction pressure gradient during two-phase, 353
CHRISTENSEN, H., *Paper* Squeeze films between two rough rectangular plates, 183
COWLEY, A., *Papers* An elastic mechanism for the microsliding characteristics between contacting machined surfaces 121; Experimental study of normal and shear characteristics of machined surfaces in contact, 129
CUMPSTY, N. A., *Paper* The measurement and interpretation of flow within rotating stall cells in axial compressors, 101

DANESHI, G. H., *Paper* An analysis of the yield criteria and the stress-strain relationships of a pre-strained commercially pure aluminium, 169
DAY, I. J., *Paper* The measurement and interpretation of flow within rotating stall cells in axial compressors, 101
DEMKIN, N. B., *Papers* Calculation of the topographic characteristics of rough surfaces by virtue of profile, 303; Statistical analysis of a rough-surface model, 315
DUGGINS, R. K., *Paper* Further investigation of conical diffusers with annular injection, 58

FENNER, R. T., *Paper* On the lubricating action of molten polymers in single-screw extruders, 73
FOX, C. H. J., *Papers* The dynamics of a Hooke's joint gyroscope with non-orthogonal flexure axes, 79; The dynamics of a multigimbal Hooke's-joint gyroscope, 255; The dynamics of an imperfect, multigimbal, Hooke's-joint gyroscope, 263; The response of a Hooke's joint gyroscope to linear vibration, 189

GILL, K. F., *Paper* The effect of mass flow rate on the reflection behaviour of small-amplitude pressure waves from duct terminations, 229
GOHAR, R., *Paper* Hydrodynamic lubrication of ball-bearing cage pockets, 11
GUNTON, M. C., *Research Note* A twin-rotor cross-flow fan, 237

HAMED, M. S., *Paper* The generation of random surfaces representative of abrasion, 133
HAMILTON, G. M., *Papers* Negative pressures under a lubricated piston ring, 49; The starved lubrication of piston rings in a diesel engine, 345
HASEGAWA, M., *Paper* The generating mechanism of surface roughness by random cutting edges, 197
HASHMI, M. S. J., *Paper* Large-deformation response of deep circular arches to radial magnetomotive forces, 335
HILL, V. P., *Paper* A surface vorticity theory for propeller ducts and turbofan engine cowls in non-axisymmetric incompressible flow, 201
HISAKADO, T., *Paper* The influence of surface roughness on friction and wear in boundary lubrication, 247
HOLGATE, M. J., *Research Note* A twin-rotor cross-flow fan, 237
HOLMES, R., *Paper* The role of subatmospheric film pressures in the vibration performance of squeeze-film bearings, 283
HORLOCK, J. H., *Paper* Flow through a slightly curved flame front, 297
HUMES, B., *Paper* The role of subatmospheric film pressures in the vibration performance of squeeze-film bearings, 283

IMRIE, B. W., *Paper* The effect of mass flow rate on the reflection behaviour of small-amplitude pressure waves from duct terminations, 229

JARVIS, J. L., *Paper* Performance of composite, flat-belt-drive materials under simulated power transmission, 309

KOROTKOV, M. A., *Paper* Calculation of the topographic characteristics of rough surfaces by virtue of profile, 303
KOUROVA, M. A., *Paper* Statistical analysis of a rough-surface model, 315
KRIMERMAN, Y., *Paper* The complete three-dimensional calculation of the compressible flow field in turbo impellers, 149

LAMPARD, D., *Paper* Further investigation of conical diffusers with annular injection, 58
LAURENSON, I. T., *Paper* Hydrostatic seal design, 159

MAJUMDAR, B. C., *Paper* Dynamic stiffness of damping coefficients of aerostatic, porous, journal bearings, 291
MAUNDER, L., *Paper* The response of a Hooke's-joint gyroscope to linear vibration, 189
MOLINA, M. A., *Paper* Hydrodynamic lubrication of ball-bearing cage pockets, 11
MONTAGUE, P., *Papers* The experimental behaviour of double-skinned, composite, circular cylindrical shells under external pressures, 21; The failure of double-skinned, composite, circular cylindrical shells under external pressure, 35
MOORE, S. L., *Paper* The starved lubrication of piston rings in a diesel engine, 345
MORRIS, W. D., *Paper* Heat transfer in the entrance region of tubes that rotate about a parallel axis, 319

O'DONOGHUE, J. P., *Paper* Hydrostatic seal design, 159
OLDHAM, K., *Paper* A procedure for force-balancing planar linkages using counterweights, 177
ORGAN, A. J., *Paper* Fluid particle trajectories in Stirling-cycle machines, 1

PALMER, R. S. J. *Paper* Performance of composite, flat-belt-drive materials under simulated power transmission, 309
PARBERY, R. D., *Paper* On a problem in the dynamics of looped cables, 85
PRAKASH, J., *Paper* Squeeze films between two rough rectangular plates, 183
PYE, C. J., *Paper* A vibration technique for non-destructively assessing the integrity of structures, 93

RAO, D. K., *Paper* Frequency and loss factors of sandwich beams under various boundary conditions, 271
RAO, N. S., *Paper* Dynamic stiffness and damping coefficients of aerostatic, porous, journal bearings, 291

SANDERS, A. T., *Paper* Further investigation of conical diffusers with annular injection, 58
STONE, B. J., *Paper* A vibration technique for non-destructively assessing the integrity of structures, 93

TAUCHERT, T. R., *Paper* Thermoelastic analysis of a finite orthotropic slab, 65
TSUKIZOE, T., *Paper* The generating mechanism of surface roughness by random cutting edges, 197

WALKER, M. J., *Paper* A procedure for force-balancing planar linkages using counterweights, 177
WHITEHOUSE, D. J., *Paper* The digital measurement of peak parameters on surface profiles, 221
WOODS, J. L., *Paper* Heat transfer in the entrance region of tubes that rotate about a parallel axis, 319

Subject Index

Titles of papers are in capital letters

Abrasion, random surfaces representing, 133
Aerofoil
  annular, in pure incidence flow, 202
  annular, pressure distributions for, 213
  annular, surface velocity on, 213
  axisymmetric annular, general non-axisymmetric flow, 204
  performance in three-dimensional flow, 201
Aluminium, yield criteria and stress-strain relationships of pre-strained commercially pure, 169
Aluminium rings, circular-arch specimens, 335
ANALYSIS OF THE YIELD CRITERIA AND THE STRESS–STRAIN RELATIONSHIPS OF A PRE-STRAINED COMMERCIALLY PURE ALUMINIUM, 169
Anisotropic elastic bodies, thermal stress in 65
Annular injection of conical diffusers, 58
Autocovariance functions, 117

Back-diagonal problem, 212
Ball bearings. *See* Bearings
Beams, sandwich. *See* Sandwich beams
Bearing area equation, 317
Bearing curve of profile and surface, 304
Bearing curve parameter, 306
Bearing length equation, 317
Bearings
  aerostatic porous journal, 291
    analysis of, 202
    effect of eccentricity ratio, 295
    effect of feeding parameters, 296
    effect of L/D ratio, 296
    effect of porosity parameter, 296
    effect of squeeze number, 294
    effect of supply pressure, 294
  ball, hydrodynamic lubrication of cage pockets, 11
  ball-and-cage geometry, 12
  dynamic stiffness and damping coefficients of, 291
  gas journal, 292
  squeeze-film
    dynamical equations, 285
    squeeze-film pressure recordings, 284
    theoretical treatment, 285
    vibration performance of, 283
Belt drives
  performance of composite, flat-belt-drive materials under simulated power transmission, 309
  simulated conditions, 310
  simulation ring, 309
Belt materials
  tension-strain behaviour of, 311
  types tested, 309
Bulge tests on pre-strained commercially pure aluminium, 173

Cables, looped
  completely flexible, 89
  dynamics of, 85
  effect of acceleration, 89
  effect of velocity, 89, 90
  equations of compatibility, 86
  equations of motion, 85
  formulation of problem, 86
  solution and results, 87
CALCULATION OF THE TOPOGRAPHIC CHARACTERISTICS OF ROUGH SURFACES BY VIRTUE OF PROFILE, 303
Capacitance gauges, 345, 347, 348
Chains in force-balance of planar linkages, 178
COMPLETE THREE-DIMENSIONAL CALCULATION OF THE COMPRESSIBLE FLOW FIELD IN TURBO IMPELLERS, 149
Compressors
  axial-flow, flow measurements on, 101
  stall cells in axial-flow, 101
Contacting machined surfaces
  micro-sliding characteristics between 121
  normal and shear stiffness characteristics of, 129
Control point distribution in non-axisymmetric flow, 212
Coriolis accelerations, 320
Coriolis effect, 320, 321
Coriolis force, 325
Coriolis-induced secondary flow, 320
Counterweights, force-balancing using, 177
Coupling coefficients for three-dimensional surface vorticity models, 207
Cutting edges, surface roughness produced by random, 197

Damage location method, 94
Damping coefficients of aerostatic, porous, journal bearings, 291
Deformation caused by hydrodynamic pressure distribution, 241
Deformation response of circular-arch specimens, 335
Diesel engines, lubrication of piston rings, 345
Differential formulae, behaviour of, 116
Diffusers, conical, annular injection of, 59
DIGITAL MEASUREMENT OF PEAK PARAMETERS ON SURFACE PROFILES, 221
Dirichlet boundary condition, 203
Duct terminations, reflection behaviour of small-amplitude pressure waves from, 229
DYNAMIC STIFFNESS AND DAMPING COEFFICIENTS OF AEROSTATIC, POROUS, JOURNAL BEARINGS, 291
DYNAMICS OF A HOOKE'S-JOINT GYROSCOPE WITH NON-ORTHOGONAL FLEXURE AXES, 79
DYNAMICS OF A MULTIGIMBAL HOOKE'S-JOINT GYROSCOPE, 255

DYNAMICS OF AN IMPERFECT, MULTIGIMBAL, HOOK'S-JOINT GYROSCOPE, 263

Earth's gravitational acceleration, 322
Earth's gravitational field, 321–22
EFFECT OF MASS FLOW RATE ON THE REFLECTION BEHAVIOUR OF SMALL-AMPLITUDE PRESSURE WAVES FROM DUCT TERMINATIONS, 229
Elastic deformation, 241
ELASTIC MECHANISM FOR THE MICRO-SLIDING CHARACTERISTICS BETWEEN CONTACTING MACHINED SURFACES, 121
Elastic-plastic membrane theory, 39
Energy dissipation in stall cells, 110
Equations of motion, numerical solution of, 336
EXPERIMENTAL BEHAVIOUR OF DOUBLE-SKINNED, COMPOSITE, CIRCULAR CYLINDRICAL SHELLS UNDER EXTERNAL PRESSURE, 21
EXPERIMENTAL STUDY OF NORMAL AND SHEAR CHARACTERISTICS OF MACHINED SURFACES IN CONTACT, 129
Extruders, lubricating action of molten polymers, 73

FAILURE OF DOUBLE-SKINNED, COMPOSITE, CIRCULAR CYLINDRICAL SHELLS UNDER EXTERNAL PRESSURE, 35
Fans, twin-rotor cross-flow, 237
Flame front
  effect of entry density gradients, 300
  effect of entry shear, 300
  effect of gradients in flame speed and density change, 301
  flow on either side of flame, 298
  flow through slightly curved, 297
  matching conditions at, 298
  non-uniform entry conditions, 300
  uniform entry conditions, 299
Flow
  annular aerofoil in pure incidence, 202
  friction pressure gradient during two-phase, 353
  in turbo impellers, 149
  non-axisymmetric incompressible, 201
  three-dimensional, aerofoil performance in, 201
Flow measurements on stalled axial-flow compressor, 101
Flow rate effect on reflection behaviour of small-amplitude pressure waves from duct terminations, 229
FLOW THROUGH A SLIGHTLY CURVED FLAME FRONT, 297
Flow velocity measurement in three-dimensional water flow, 327
FLUID PARTICLE TRAJECTORIES IN STIRLING-CYCLE MACHINES, 1
Force-balance of planar linkage, 177
Fredholm integral equations, 202, 212
FREQUENCY AND LOSS FACTORS OF SANDWICH BEAMS UNDER VARIOUS BOUNDARY CONDITIONS, 271
Friction in boundary lubrication, influence of surface roughness, 247
Friction coefficient and dimensionless critical compliance, 250
Friction coefficient under lubricated conditions, 248
Friction pressure gradient, surface roughness effect during two-phase flow in pipes, 353
Furey circuit, 74
FURTHER INVESTIGATION OF CONICAL DIFFUSERS WITH ANNULAR INJECTION, 58

GENERATING MECHANISM OF SURFACE ROUGHNESS BY RANDOM CUTTING EDGES, 197
GENERATION OF RANDOM SURFACES REPRESENTATIVE OF ABRASION, 133
Gyroscopes
  dynamically tuned, 79
  equations of motion, 80
  Hooke's-joint. *See* Hooke's-joint gyroscope
  in inertial navigation systems, 79
  response to constant rate of turn, 81
  response to $2n$ angular vibration, 83
  tuned, 82
  tuning, 81
  $2n$-immunity, 84
  untuned, 81

Heat exchanger having linear variation of cross-sectional area, location of plane in, 9
HEAT TRANSFER IN THE ENTRANCE REGION OF TUBES THAT ROTATE ABOUT A PARALLEL AXIS, 319
High-speed ground transport, 143
  definitions, 144
  evaluation of parameters, 145
  power spectral density of roughness, 144
  roughness-wavelength relationships, 145
  statistical properties of guideway roughness, 144
  time spectrum and computer generation of roughness profiles, 146
HIGH-SPEED GROUND TRANSPORT—A STOCHASTIC MODEL OF TRACK ROUGHNESS AND MISALIGNMENT, 143
Hooke's-joint gyroscope
  description of instrument, 255
  dynamical characteristics of, 79
  dynamics of imperfect multigimbal, 263
  dynamics of multigimbal, 255
  equations of motion, 255, 264
  errors associated with mass unbalance, 192
  mode shapes, 258
  response characteristics, 257
  response of damped and mistuned gyro to constant rate of turn, 266
  response to angular vibrations at twice rotor frequency, 267
  response to linear vibration, 189
  response to steady rate of turn, 259
  stability of, 262
  tuned, 194, 260
  untuned, 194, 259
Hovercraft, tracked, 143
HYDRODYNAMIC LUBRICATION OF BALL-BEARING CAGE POCKETS, 11
HYDROSTATIC SEAL DESIGN 159

INFLUENCE OF PIPE SURFACE ROUGHNESS ON FRICTION PRESSURE GRADIENT DURING TWO-PHASE FLOW, *Research Note*, 353
INFLUENCE OF SURFACE ROUGHNESS ON FRICTION AND WEAR IN BOUNDARY LUBRICATION, 247
Integrity of structures, non-destructive testing of, 93

Lagrangian formulae, 115, 117
LARGE-DEFORMATION RESPONSE OF DEEP CIRCULAR ARCHES TO RADIAL MAGNETOMOTIVE FORCES, 335
Linkage, planar, force-balance of, 177
Lubricant films
  heating effects, 241
  hydrodynamic, and film pressure, 240
  squeeze-film bearings, 283
  squeeze-film pressure-recordings, 284
  squeeze films between two rectangular plates, 183
  thickness measurement, 348
  thin-film flows with thermoelastically deformed boundaries, 239
Lubrication
  boundary, influence of surface roughness on friction and wear, 247
  hydrodynamic, of piston rings, 49
  of molten polymers in single-screw extruders, 73
  of piston rings, 345

Machined surfaces, contacting
  micro-sliding characteristics between, 121
  normal and shear stiffness characteristics of, 129
Magnetomotive forces, large-deformation response of deep circular arches to, 335
Martinelli–Nelson correlation, 353
Material parameters, determination, 95
MEASUREMENT AND INTERPRETATION OF FLOW WITHIN ROTATING STALL CELLS IN AXIAL COMPRESSORS, 101
Micro-sliding characteristics between contacting machined surfaces, 121

NEGATIVE PRESSURES UNDER A LUBRICATED PISTON RING, 49
Non-destructive testing of integrity of structures, 93

ON A PROBLEM IN THE DYNAMICS OF LOOPED CABLES, 85
ON THE LUBRICATING ACTION OF MOLTEN POLYMERS IN SINGLE-SCREW EXTRUDERS, 73
Orthotropic elastic body
  stress fields in, 65
  temperature fields in, 65

Peak curvature of surface profiles, 225
Peak density of surface profiles, 221, 222
Peak height of surface profiles, 224
PERFORMANCE OF COMPOSITE, FLAT-BELT-DRIVE MATERIALS UNDER SIMULATED POWER TRANSMISSION, 309
Pipes, surface roughness effect on friction pressure gradient during two-phase flow, 353
Piston rings
  hydrodynamic lubrication, 49
  lubrication, 345
  negative pressures under, 49
  shallow-sloped, 53
Planar linkage, force-balance of, 177
Plastic deformation, wear volume due to, 249
Polyethylene, low density, 73
Polymers, lubricating action in extruder, 73
Power spectral density, 144
Power transmission, performance of composite, flat-belt-drive materials, 309
Pressure distributions for annular aerofoil, 213
Pressure fluctuations in stall cells, 111
Pressure gauges, 345, 347, 348
Pressure variation in stall cells, 105
Pressure waves
  reflection of pseudo-random binary-pressure, 235
  small-amplitude, in presence of steady flow duct, reflection characteristics of, 229
Pre-straining of commercially pure aluminium, 169
Probe for velocity measurement in three-dimensional water flow, 327
PROCEDURE FOR FORCE-BALANCING PLANAR LINKAGES USING COUNTERWEIGHTS, 177
Propeller ducts in non-axisymmetric incompressible flow, 201

Random indentor and loads, 138
Random signals, 117
Random surfaces, representing abrasion, 133
Rayleigh number, 321
Real surfaces, slopes of, 118
Reflection characteristics of small-amplitude pressure waves in presence of steady flow duct, 229
Regenerator bounding a residual mass fraction, location of plane in, 8
Resonance characteristics of Hooke's-joint gyroscope, 190
RESPONSE OF A HOOKE'S-JOINT GYROSCOPE TO LINEAR VIBRATION, 189
Reynolds equation, 12, 49
Reynolds number, 321, 323, 324
ROLE OF SUBATMOSPHERIC FILM PRESSURES IN THE VIBRATION PERFORMANCE OF SQUEEZE-FILM BEARINGS, 283
Rough surfaces. *See* Surface roughness

Sandwich beams
  approximate formulae, 276
  approximate frequency and loss factors, 271
  basic equations, 272
  effect of boundary conditions, 275
  effect of geometric parameter, 275
  effect of loss factor of core, 275
  effect of mode, 275
  effect of shear parameter, 274
  exact frequency and loss factors, 271
  exact solution, 273
  geometric parameter constraint, 278
  height constraint, 278
  numerical results, 274
  optimal design, 271, 277, 280
  optimal sandwich configuration, 277
  optimum shear parameter, 277, 278
  resonant frequency and loss factor when core properties are constant, 278
  resonant frequency and loss factor when core properties vary with frequency, 279
  weight constraint, 278
Seals
  face, theories, 240
  hydrostatic
    application of basic theory to design, 162
    comparison of capillary-, orifice-, and slot-controlled, 164
    design, 159
    design procedure, 165
    effects of recess location and width, 163
    tilting stiffness, 165
    with orifice control, 161
    with slot control, 162
    with capillary control, 161
Shear characteristics of machined surfaces in contact, 129
Shells
  collapse pressures of, 35
  comparison between theory and observed mean displacements and mean strains, 24
  double-skinned composite, circular cylindrical, under external pressure, 21, 35
  elastic instability pressure of all-elastic, 40
  elastic instability pressure of partially plastic, 41
  experimental behaviour of, 24
  failure pressures, 29, 38
  filler breakdown pressure, 39
  geometric imperfections, 45
  initial and loaded circumferential profiles, 28
  Rankine-type interaction curve and failure pressures, 43
  repeated loading of, 29
  strength-stability interaction, 42
  testing apparatus and instrumentation, 23
  theoretical behaviour, 22
  thinness ratio and failure pressures, 43
Ship resistance, prediction from model tests, 327
Short-bearing equation, 240
Sinusoidal signals, 116
Skin-friction measurements, 327
SLOPE MEASUREMENT IN SURFACE TEXTURE ANALYSIS, 115
Spark-out simulation, 138
Squeeze films. *See* Lubricant films
SQUEEZE FILMS BETWEEN TWO ROUGH RECTANGULAR PLATES, 183
Stall cells
  axial movement of fluid in, 109
  energy dissipation in, 110
  flow direction in, 104
  in axial-flow compressors, 101
  part-span, 106
  pressure fluctuation, 111
  pressure variation, 105
  radial variations, 105
  size effect in, 105
  structure aspects, 106
  torque measurement in, 110
  unstalled flow, 113
STARVED LUBRICATION OF PISTON RINGS IN A DIESEL ENGINE, 345
Statistical analyses of surface roughness produced by normally distributed cutting edges, 198
STATISTICAL ANALYSIS OF A ROUGH-SURFACE MODEL, 315
Statistical model of surface roughness generation, 197
Stepwise loading of pre-strained commercially pure aluminium, 175
Stirling-cycle machines
  equations for instantaneous particle positron, 3
  equivalent, 2
  fluid particle trajectories in, 1
  ideal thermodynamic cycles, 5
  p-v_s and t-s diagrams for fluid particles in, 5
  specimen particle trajectory maps, 4
  trajectory maps and ideal thermodynamic cycles for case of zero unswept volume, 7
Stress fields in orthotropic elastic body, 65
Stress-strain relationships of pre-strained commercially pure aluminium, 169
Structures, non-destructive testing of integrity of, 93

Surface and profile peaks
laws of height distribution of, 305
mean cross-section of, 306
mean height of crests, 305, 306
mean length of cross-section of, 306
parameters of, 307
Surface generation
apparatus and experimental procedure, 139
by computation, 135
Surface models, 121
analysis of, 122
normal loading, 122
simultaneous normal and tangential loading, 124
tangential loading at constant normal pressures, 123
tangential unloading at constant normal pressure, 123
unloading at constant normal pressure after simultaneous loading, 125
Surface profiles
and surface characteristics relationship, 303
digital measurement of peak parameters of, 221
model of, 304
peak curvatures of, 221, 225
peak density of, 221, 222
peak height distribution of, 221
peak height measurement of, 224
Surface roughness
effect on response of squeeze film between two rectangular plates, 183
influence on friction and wear in boundary lubrication, 247
model of, 303
of pipes, effect on friction pressure gradient during two-phase flow, 353
probability density of depth of scratches, 249, 252
produced by normally distributed cutting edges, statistical analyses of, 198
produced by random cutting edges, 197
relationship between probability densities of planimetrical and stereometrical characteristics, 315
relationship between statistical moments of stereometrical and planimetrical parameters, 316
statistical analysis of rough-surface model, 315
statistical model of generation of, 197
stereometrical characteristics of, 315
topographic characteristics, 303
Surface texture profile analysis, 115
Surface topography, 303
and properties under boundary lubrication, 252
definition of parameters from profile of finite length, 306
Surface velocity on annular aerofoil, 213
SURFACE VORTICITY THEORY FOR PROPELLER DUCTS AND TURBOFAN ENGINE COWLS IN NON-AXISYMMETRIC INCOMPRESSIBLE FLOW, 201
Surface waveforms, idealized, 118
Surfaces
contacting machined, micro-sliding characteristics between, 121
contacting machined, normal and shear stiffness characteristics of, 129
random, representing abrasion, 133
thermoelastic displacements of initially wavy, moving, subjected to non-uniform viscous heating derived from hydrodynamic lubricant film, 239

Temperature distributions for various boundary conditions, 71
Temperature effects on damage detection and location method, 96
Temperature fields in orthotropic elastic body, 65
Tensile tests on pre-strained commercially pure aluminium, 172
Thermal stress
in anisotropic elastic bodies, 65
in elastic orthotropic slab, 67
THERMOELASTIC ANALYSIS OF A FINITE ORTHOTROPIC SLAB, 65
Thermoelastic deformation, 241
THIN-FILM FLOWS WITH THERMOELASTICALLY DEFORMED BOUNDARIES, 239
THIN-FILM PROBE FOR THE MEASUREMENT OF A THREE-DIMENSIONAL VELOCITY VECTOR, 327
Thin-shell structures under dynamic conditions, 335
Topographic characteristics of profile and surface, 304
Torque measurement in stall cells, 110
Tracked hovercraft, 143
Tubes, effect of rotation on heat transfer in entrance region of, 319
Turbo impellers, compressible flow field in, 149
Turbofan engine cowls in non-axisymmetric incompressible flow, 201
TWIN-ROTOR CROSS-FLOW FAN, *Research Note*, 237

Velocity measurements on axial-flow compressors, 103
Velocity vector measurement in three-dimensional water flow, 327
Vibration, Hooke's-joint gyroscope response to, 189
Vibration performance of squeeze-film bearings, 283
VIBRATION TECHNIQUE FOR NON-DESTRUCTIVELY ASSESSING THE INTEGRITY OF STRUCTURES, 93

Water flow, velocity vector measurement in three dimensional, 327
Wear in boundary lubrication, influence of surface roughness, 247
Wear rate under boundary lubrication, 251
Wear tests under boundary lubrication, 250
Wear volume due to plastic deformation, 249
White noise, approximation of, 147

Yield criteria of pre-strained commercially pure aluminium, 169

INDEX

UMI